



HFSE Magnetic Secrets ( Part 2 of 3 )

Multimessengers Invade Earth

by, Paul Collin ( The Unwanted Publicity Intelligence Guy )

June 25, 2014 23:42:22 ( PST )

LOS ANGELES - June 25, 2014 - Aeromagnetic surveys use highly sophisticated magnetometers onboard aircraft flying over large regional areas.

Dependent on survey operating obstacles magnetometers may employ various spectrums of technologies including, amongst others, 'camera lens optics'.

"Optical" magnetometer 'devices' and 'systems' employing 'digital image recording can either be stored or relayed from 'aircraft', 'unmanned aerial vehicles' ( UAV ), and 'space-based platforms' ( satellites ) for government contract use.

For 'government contract use', 'stand-alone' type 'optic device systems' were 'drastically reduced' to roles if 'scanning only' when that function was decidedly incorporated by combination with 'multiple other technology devices and systems'.

MagnetoTellurics ( MT )

Magnetotellurics measures subterranean Earth field magnetics by geophysical remote-sensing imagery methods developed by Russia and France the 1950s.

Major advances in Magnetotellurics instrumentation and technique include the advent of:

- Remote referencing;
- 3D data acquisition;
- 3D data processing; and,

- GPS time-based synchronizing;

Today's advances in instruments, sensors, data processing and computer modeling enhancements with Magnetotellurics became one of the most important global academic disciplines in deep Earth research tools, for:

- Geomagnetic field surveys;
- Plate Tectonic long-period deep crustal movements and formations;
- Geothermal ( Volcano ) precursor event research;
- Geoseismic ( Earthquake ) precursor event research;
- Geoclimactic ( Ice Age ) precursor event research;
- Groundwater monitoring;
- Mineral Mining exploration;
- Petroleum ( Oil ), Shale Oil, Shale Gas, and Natural Gas exploration;
- Hydrocarbon monitoring; and,
- More.

MT depth ranges from 300 meters underground ( by recording higher frequencies ) down to 10,000 meters or 'deeper' ( long-period sound frequencies ).

#### Late 1970 Era Emerging Technology

Advanced materials science studied certain crystal ( telluride, etc. ) and quasicrystal structures, 'redesigning natural architectures' to 'manipulate energy power management' - automatically incorporating 'miniaturization' - in later production of "thin-film crystalline power management circuits," and by later "layering" methodologies of the 1980s secretly introduced Charged-Coupled Devices" ( CCD ) for governments that went even further to employ "Staring-Plane Mosaic" technology "long-range optical scanning guidance sensor" technology 'drastically extending capabilities', of:

- Tracking ( remote - ground-to-air, air-to-ground, ground-to-space, space-to-ground, space-to-galactic, galactic-to-space, and galactic-to-extragalactic - locations );
- Data ( astroparticle element spectral resolution to digital data for ground-based and space-based

processing ); and,

- Relay ( remote - ground-to-air, air-to-ground, ground-to-space, space-to-ground, space-to-galactic, galactic-to-space, and galactic-to-extragalactic - locations ).

"High-Energy" ( HE ) technologies combined with 'other devices and systems' enhancing 'long-range' ( LR ) deep-scanning ( DS ) radar are yet 'even-other technologies' much of which remains categorically secure according to classification, for:

- Surface-Penetrating / Ground-Penetrating High-Energy Radar ( ground-to-air; air-to-ground limited; ground-to-space; space-to-ground limited; space-to-galactic limited, galactic-to-space; space-to-extragalactic limited; and, ground-to-extragalactic ).

All platforms ( ground-based, air, and space-based ) capturing 'data' usually require "real-time" 'imaging' - especially amidst 'emergency situations' - that 'easily' may or sometimes 'instantly' ( on 'rare' occasions ) be 'disrupted due to external force interferences', by such examples, of:

- Extragalactic Astroparticles ( e.g. "Cherenkov Muon Radiation" multimessenger 'Absolute Total Earth-Penetrating - ground and water inclusive' Thompson Scatter arrays of "Tau Air-Showers" );

- Extragalactic Astroparticles ( e.g. "Cherenkov Light Radiation" 'ground-penetrating and 'waterway-bed penetrating to approximately 1-mile' Tau Air-Shower arrays of Thompson Scatter );

- Atmospheric Thermal Lightning Storms ( e.g. "Sprint" and / or "Elf" Air-Shower arrays of Thompson Scatter 'air-to-ground penetrating lightning' or Reverse Thompson Scatter - 'ground-to-air lightning' exhibitions' );

- Solar Energetic Particle ( SEP ) "Geomagnetic Storms" ( derived from "Solar Flares" interalia "Solar Winds" );

- Aurora ( Stratospheric "Northern Lights" );

- Auroral Current Mist ( 'Ground-Surface Travelling Electron Clouds' - 'translucent green' in-color );

- Thermal Lightning Storms ( "Sprint" and "Elf" - Thompson Reverse Scattering 'Ground-to-Air Showers' or Thompson Scattering 'Air-to-Ground Showers' );

- Atmospheric Electrical Lightning Storms ( 'conventional air-to-ground' and 'horizontal lightning' ); and,

- High Field Strength Element ( HFSE ) Magnetic Pyroclastic Clouds & Particle Mists ( Volcanic.); and,


- Atmospheric Thermal Clouds ( 'conventional oriented', 'marine layers', 'waterway mists', 'thermal mists' - fog ).

Ground-penetrating radar mapping geophysical magnetic anomalies captured using high-energy ( nuclear resonance ) magnetic imaging ( NMR ) particle data identification resolutions can 'optically capture' specifically targeted areas 'long-range' either via 'line-of-sight' or by utilizing a specially designed Panoramic lens, the latter of which both the U.S. and Russia still employ; classic rule being - 'closer proximities net best sensing'.

Although in June 2014, the Russia plane tested an 'extremely advanced technology form-of "ground-penetrating radar" from 50-miles off the west coast of California just outside territorial waters, however - and for decades - "joint agreements" continue being 'held and updated' between the United States and Russian Federation.

Monitoring measurements of Earth's superconducting magmatic core generating magnetic temporal field line magnetic oscillations extending from below to as far away as the Magnetosphere has always been excited by "Cosmic Rays" ( "Cherenkov Muon Light Radiation" ).

Although passing through our Sun, the actual "point of origin" for "all Cosmic Rays" was recently determined.



Cosmic  
of

Astroparticle  
Rays, first began  
emanating 'billions  
lightyears' ago out-

of the constellation Virgo A - where five ( 5 ) "Blue Galaxies" exist - but there is from only one ( 1 ) specific Blue Galaxy where "Centaurus A" ( "Cen-A" ) was born; created from two ( 2 ) galaxies colliding for their incredibly explosive "Supernovae" forming a "Super-massive Black-

Hole ( "SMBH" ) wherein its Accretion Disk began streaming-out an 'unfathomable hot' and 'powerfully intense blue-white colored "Cherenkov muon light radiation" - its "Whole Jet" 'still the diameter size of the Solar System of Earth'.

In Italy, during Earth's 16th century, the Cen-A Whole Jet ( also known as ) "Gamma-Ray Burst" ( "GRB" ) was first ( 1st ) recorded as a new discovery.

By the year 2000, the Cen-A Whole Jet stream GRB continued extending out-of the center of its Supermassive Black-Hole Accretion Disk to a length of more than 2,000 lightyears long.

By June 12, 2012 another more startling discovery was made. The Cen-A GRB possessed 'advancing scout astroparticles' wherein an anomaly existed; 'astroparticles combined' ( both 'sub-atomic' neutrino "muons" with 'atomic' photon "Cherenkov light radiation" ) - identified as "multimessengers."

Within only 1-month, during July 2012, "multimessenger" ( 'combined sub-atomic and atomic astroparticles' ) were discovered moving at "Superluminescent" speeds.

In this case instance, these multimessenger astroparticle Cosmic Rays coming from the Cen-A GRB moving at Superluminescent speeds were somehow calculated 'up-to' ( initially ) "6 times faster than the speed of light."

Something secretly occurred because within a few months this Cen-A GRB Cherenkov muon case instance saw these particular combinatoric multimessenger astroparticle Superluminescent speed calculations 'suddenly revised.jumping up considerably' ( in 2013 ) to "45 times faster than lightspeed."

What happened?

Many things began being discovered, including the fact that Cherenkov light radiation ( alone ) was indeed, a:

"Planetary Oxygen Killer" Gamma-Ray Burst From Cen-A

"Cherenkov light radiation photons" ( by 'itself' ) 'burns-up' "all oxygen molecules" ( "ozone" ) it 'contacts', which is bad enough, but when combinatorically linked ( 'somehow' ( geostrophysicists still cannot say 'how' ) to neutrino "muon" astroparticles that 'do not stop' ( 1-mile deep underground ) and are easily capable of penetrating the entire Earth, now 'that is' a 'serious global problematic event'.

As a brief aside, many people are even unaware that, simple "rain" 'removes' "oxygen" molecules out-of Earth's atmosphere; but not like what happened within 48-hours on December 26, 2004.

By 2013, it was discovered that the "point of origin" for "all Cosmic Ray astroparticles" indeed

stemmed from out-of the "Centaurus A" ( CenA ) 'event' billions of years ago.

Furthermore, Cen-A GRB advancing scout-like "multimessenger" astroparticles were discovered to have actually begun arriving on Earth within 48-hours of December 26, 2004 when two ( 2 ) Earth events occurred:

1. Above the Indian Ocean, advance scout arrivals of Cen-A originating Cherenkov muon light radiation astroparticles burned the World's largest hole straight through Earth's "ozone layer;" and,
2. Upset magnetic niobium elements within Earth's subcrustal magnetic magmatic tubes that created the 9.1 magnitude Andaman-Sumatra ( Indonesia ) earthquake under the Andaman Sea revolting in an oceanic waterway tsunami that killed 350,000 people throughout 13 nations in just 1-day.

Additionally discovered was there continues being an "ever-increasing" Earth bombardment of these same "Cherenkov muon light radiation astroparticles" to this very day, according to several Cherenkov Telescope Array Observatories located primarily on Earth's "Southern Hemisphere."

What The World "Needs-To-Know" 'Before' 'I' 'Go'

1. Within 1,000 lightyears from the 'very tip' of this Virgo A constellation Centaurus A Supermassive Black-Hole emanating Whole Jet emitting Gamma-Ray Burst carrying Cherenkov light radiation combined with neutrino muon multimessenger astroparticles highly-directionalized out from its point of origin on its highly-directionalized 31-degree trajectory angle aimed to pass northeast of the solar system of Earth 'all' atmospheric and planetary oxygen molecules' will be extinguished until it passes.
2. Exoplanetary research in America only began with a U.S. government Executive Order that was approved by the U.S. Congress mandating it under then-President George Bush and carried forward through the current U.S. Presidential Administration to-date;
3. In 1999, the Vatican Papal Administration began teaming its own Telescope Observatories in a joint effort with the United States between MIT and Steward Observatory in-addition to Germany as well as several other countries; and,
4. While initial discovery of only a tiny streak of bright light in Earth's Southern Hemisphere dark sky was during the 16th century that once thought ti be 'little bit of information' laid 'dormant' until the Vatican Papal Administration decidedly brought it to the attention of another government during the 1940s. In 1947, the U.S. government turned its information over to MIT that began rigorous research from the basement of one of its buildings where the director assigned ( directly under his authority ) another man as the Program chief investigator who worked on that task all the rest of the days of his life, and while his even further discoveries began yet a myriad of 'global' Programs and Projects in other countries, 'few knew the core reason' behind 'why' so much labor time, money, and materials continued being spent by so many people for decades; even past the

global economic meltdown of 2007 - over 50-years.

A point of interest for my having worked this particular research project for the past 4-years ( since 2010 ) was that halfway through 2012 I learned that the man from down in that MIT building basement had just died shortly after I learned what you now know today.

Before any more people ask me the "When?" 'date' question, my research was halted; one could say I was stopped by 'chance' - I'll tell you right now, though it 'was' strictly by 'circumstance'.

Earth Exit Survivability Options May No Longer Available

Worldwide, from between ( at-least ) 2010 through 2012, people began experiencing an unfamiliar sense of 'dred' and / or 'doom', often-times heightened for no apparent reason other than 'fearing' an 'unknown' "catastrophic event." Some people believe human beings are reacting as though they had unknowingly been exposed to abnormal levels of energy directing them oddly, there 'may' be a simple answer to this that may cause problems for other members of humanity.

Many people are unaware of 'flying birds' possessing a special 'chemical' ( found within the 'bone' of their 'beaks' ) that 'automatically' "senses-out" "geomagnetic field lines" ( floating invisibly from the ground in-to the air ) plus, the 'bird-beak chemical' provides the flying bird with continuous "navigation." People possess a special chemical within our "nose bone"

[ END PART 2 OF 3 ]

Respectfully submitted for review and commentary by,

The Unwanted Publicity Intelligence Guy

Paul Collin

E-MAIL: [UnwantedPublicity@Gmail.Com](mailto:UnwantedPublicity@Gmail.Com)

WWW: <http://KentronIntellectResearchVault.WordPress.Com>

/

/

References ( Research Links Below ):

High Field Strength Elements ( HFSE ) - Part 2

<http://kentronintellectresearchvault.wordpress.com/2013/04/14/secret-hfse-properties-part-2/>

MagnetoTellurics ( MT ):

<http://en.wikipedia.org/w/index.php?title=Magnetotellurics>

AeroMagnetics:

[http://en.wikipedia.org/wiki/Aeromagnetic\\_survey](http://en.wikipedia.org/wiki/Aeromagnetic_survey)

Centaurus A, Supermassive Black-Hole, Whole Jet, Cherenkov light radiation, neutrino muon, Multimessenger, and Astroparticles:

<http://einsteindiaries.org/multi-messenger-astronomy>

[http://www.astro.gla.ac.uk/users/martin/powersof60/milestone\\_4.html](http://www.astro.gla.ac.uk/users/martin/powersof60/milestone_4.html)

Cherenkov Light Radiation, Neutrino, Muon, Multimessenger, Astroparticles, and Observatories:

<http://amon.gravity.psu.edu/participants.shtml><http://amon.gravity.psu.edu/participants.shtml>

Everything Else ( Here ):

<http://KentronIntellectResearchVault.WordPress.Com>